



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/529,211	01/17/2006	Bo E. Samuelsson	19200-000045/US	2024
30593 7590 07/26/2007 HARNESS, DICKEY & PIERCE, P.L.C. P.O. BOX 8910 RESTON, VA 20195			EXAMINER NGUYEN, CAMTU TRAN	
			ART UNIT 3772	PAPER NUMBER
			MAIL DATE 07/26/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/529,211	<b>Applicant(s)</b> SAMUELSSON, BO E.	
	<b>Examiner</b> Camtu T. Nguyen	<b>Art Unit</b> 3772	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 26 April 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-8 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 April 2007 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Response to Amendment***

This Office Action is in response to applicant's amendment filed on April 26, 2007.

Claims 1-8 have been amended.

Applicant's amended specification filed on April 26, 2007 has been acknowledged and entered.

### ***Response to Arguments***

Applicant's comments pertaining to the Blake reference applied in the previous Office Action are acknowledged, however, deemed not persuasive. With regards applicant's response to the Blake's lacking of the glue to fix the device to the user's organ, as amended in claim 1, the Blake's viscous layer (29) performs the identical function specified in the claim in substantially the same way, and produces substantially the same results as the corresponding element disclosed in the specification. *Kemco Sales, Inc. v. Control Papers Co.*, 208 F.3d 1352, 54 USPQ2d 1308 (Fed. Cir. 2000) (An internal adhesive sealing the inner surfaces of an envelope pocket was not held to be equivalent to an adhesive on a flap which attached to the outside of the pocket. Both the claimed invention and the accused device performed the same function of closing the envelope. But the accused device performed it in a substantially different way (by an internal adhesive on the inside of the pocket) with a substantially different result (the adhesive attached the inner surfaces of both sides of the pocket)); *Odetics Inc. v. Storage Tech. Corp.*, 185 F.3d 1259, 1267, 51 USPQ2d 1225, 1229-30 (Fed. Cir. 1999); *Lockheed Aircraft Corp. v.*

Art Unit: 3772

United States, 193 USPQ 449, 461 (Ct. Cl. 1977). The concepts of equivalents as set forth in *Graver Tank & Mfg. Co. v. Linde Air Products*, 339 U.S. 605, 85 USPQ 328 (1950) are relevant to any “equivalents” determination. *Polumbo v. Don-Joy Co.*, 762 F.2d 969, 975 n.4, 226 USPQ 5, 8-9 n.4 (Fed. Cir. 1985). Therefore, one skilled in the art would have recognized the interchangeability of the element shown in the prior art for the corresponding element disclosed in the specification. *Caterpillar Inc. v. Deere & Co.*, 224 F.3d 1374, 56 USPQ2d 1305 (Fed. Cir. 2000); *Al-Site Corp. v. VSI Int'l, Inc.*, 174 F.3d 1308, 1316, 50 USPQ2d 1161, 1165 (Fed. Cir. 1999); *Chiuminatta Concrete Concepts, Inc. v. Cardinal Indus. Inc.*, 145 F.3d 1303, 1309, 46 USPQ2d 1752, 1757 (Fed. Cir. 1998); *Lockheed Aircraft Corp. v. United States*, 193 USPQ 449, 461 (Ct. Cl. 1977); *Data Line Corp. v. Micro Technologies, Inc.*, 813 F.2d 1196, 1 USPQ2d 2052 (Fed. Cir. 1987). In fact, Blake discloses the viscous layer (29) results an adhesion between the wall of the condom (10) to the skin is considered to be comfortable (column 8 lines 8-11). With regards to the applicant's second part (4) is designed to rupture upon ejaculation, as amended in claim 1, such limitation is new matter and not supported by the specification, as originally disclosed. As a matter of fact, applicant disclosed in the specification on page 5 lines 20-21 supports the end of the second part (4) is a membrane (6) that is designed to burst upon ejaculation. This is different from being designed to rupture. See 112 1<sup>st</sup>, paragraph below.

***Specification***

The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Applicant's second part (4) is designed to rupture upon ejaculation, as amended in claim 1, such limitation is new matter and not supported by the specification, as originally disclosed.

***Claim Rejections - 35 USC § 112***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 1 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. In this case, applicant's second part (4) is designed to rupture upon ejaculation, as amended in claim 1, such limitation is new matter and not supported by the specification, as originally disclosed. As a matter of fact, applicant disclosed in the specification on page 5 lines 20-21 disclosing the end of the second part (4) is a membrane (6) that is designed to burst upon ejaculation.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-5 are rejected under 35 U.S.C. 102(b) as being anticipated by Blake (U.S. Patent No. 6,298,853). Blake discloses an abbreviate condom (10) fitting upon the glans penis (15) comprising a forward tip (13) and a seminal fluid reservoir (14) as shown in Figure 4 where the reservoir (14) is in its expanded state or its burstable state. With regards to the glue provided to fix the device to the man's sexual organ, as recited, the Blake device discloses in Figure 7 an adhesion resulting from the cohesion of the wall of the abbreviated condom to the skin obtained with a viscous layer (29).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Blake (U.S. Patent No. 6,298,853). Blake discloses an abbreviate condom (10) fitting upon the glans penis (15). With regards to claims 6 & 7, it is well known in the art that ethanol to be remove glue or tacky substances. In fact, applicant discloses its availability in the specification on page

Art Unit: 3772

6 lines 16-20. Therefore it would have been obvious to one skilled in the art to utilize the solvent agent to remove the glue.

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Blake (U.S. Patent No. 6,298,853), and further in view of Sorkin (U.S. Patent No. 4,955,392). Blake discloses an abbreviate condom (10) fitting upon the glans penis (15). The Blake condom does not teach the glue is of a two-component. Sorkin discloses a condom (14) comprising a public shield (18) having adhesive (20) to fix the condom to the user's sexual organ. Figures 4 and 5 illustrating the adhesive (20) applied about the periphery of the shield (18) and a liner also indicated by the numeral (20), the adhesive (20) or skin glue is of the type which is readily peeled from the body without pain upon removal. Therefore, it would have been obvious to one skilled in the art to use the adhesive and liner taught by Sorkin in Blake's condom as such would be easily installed when use and removed after use.

### *Conclusion*

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Art Unit: 3772


CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Camtu T. Nguyen whose telephone number is 571-272-4799. The examiner can normally be reached on (M-F) 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patricia Bianco can be reached on 571-272-4940. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Camtu Nguyen  
June 25, 2007

  
PATRICIA BIANCO  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3700  
7/19/07